

Contents

Editorial

Electronic distribution of abstracts published in A. & A. (Main Journal and Supplements Series)

Letters to the Editor

COMPTEL observations of ⁴⁴Ti gamma-ray line emission from Cas A

Iyudin A.F., Diehl R., Bloemen H., Hermesen W., Lichti G.G., Morris D., Ryan J., Schönfelder V., Steinle H., Varendorff M., de Vries C., Winkler C.

On the neon abundance in PG 1159-type central stars of planetary nebulae

Werner K., Rauch T.

UBV-JHKLM photometry of Nova Aquilae 1993. The first 220 days

Munari U., Yudin B.F., Kolotilov E.A., Shenavrin V.I., Sostero G., Lepardo A.

Multi-wavelength intra-peak phase separations in pulsed emissions from the Crab and the Vela pulsars

Ramanamurthy P.V.

A revision to the absolute magnitudes of RR Lyrae stars from the Baade-Wesselink method

Fernley J.

Investigating the magnetic field structure around star formation cores

Greaves J.S., Murray A.G., Holland W.S.

CO and C1 maps of the starburst galaxy M 82

White G.J., Ellison B., Claude S., Dent W.R.F., Matheson D.N.

Infrared line emission in 10 Lacertae

Murdoch K.A., Drew J.E., Anderson L.S.

A Faber-Jackson relation for clusters of galaxies: implications for modified dynamics

Sanders R.H.

Cosmology

Large-scale correlations between QSOs and IRAS galaxies

Bartelmann M., Schneider P.

The large-scale structure in a universe dominated by cold plus hot dark matter

Jing Y.P., Mo H.J., Börner G., Fang L.Z.

The effect of gravitational lensing on the texture of the cosmic microwave background

Cayón L., Martínez-González E., Sanz J.L.

Extragalactic astronomy

Far-ultraviolet diffuse background and galaxy counts

Armand C., Milliard B., Deharveng J.M. 12

Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945

Henkel C., Whiteoak J.B., Mauersberger R. 17

AGN emission above 20 keV: the hard X-ray detection problem

Maisack M., Wood K.S., Gruber D.E. 28

Monitoring of active galactic nuclei. IV. The Seyfert 1 galaxy NGC 4593

Dietrich M., Kollatschny W., Alloin D., Aretxaga I., Axon D., de Bruyn A.G., Clavel J., Goad M.R., Gondhalekar P., van Groningen E., Horne K., Jackson N., Laurikainen E., Lawrence A., Masegosa J., Moles M., O'Brien P., del Olmo A., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Perry J.J., Peterson B.M., Robinson A., Rodríguez Espinosa J.M., Stirpe G.M., Tadhunter C., Terlevich R., Unger S., Wagner S.J., Wanders I., Williams R. 33

A toolbox for general elliptical gravitational lenses

Schramm T. 44

Synchrotron emission from bent shocked relativistic jets.

II. Shock waves in helical jets

Gómez J.L., Alberdi A., Marcaide J.M. 51

HST observations of Cygnus A: circumnuclear effects of a powerful jet?

Jackson N., Sparks W.B., Miley G.K., Macchetto F. 65

HST observations of globular clusters in M 31. I. Surface photometry of 13 objects

Fusi Pecci F., Battistini P., Bendinelli O., Bònoli F., Cacciari C., Djorgovski S., Federici L., Ferraro F.R., Parmeggiani G., Weir N., Zavatti F. 349

Analysis of the velocity-distance diagrams in the presence of the Great Attractor

Ekholm T., Teerikorpi P. 369

ROSAT PSPC X-ray observations of NGC 4258: detection of point sources, 4 million K halo emission, and anomalous arms

Pietsch W., Vogler A., Kahabka P., Jain A., Klein U. 386

Molecules in the starburst galaxy Henize 2-10

Baas F., Israel F.P., Koornneef J. 403

Time-evolution of axisymmetric magnetic fields in galaxies

Camenzind M., Lesch H. 411

- Synchrotron radiation from the jet of 3C 273. III. The speed and direction of the jet
Conway R.G., Davis R.J. 724
- Galactic dynamics and magnetic fields. II. Magnetic fields in barred galaxies
Chiba M., Lesch H. 731
- Metallicity effects in star-forming regions
Cerviño M., Mas-Hesse J.M. 749
- The Hamburg Quasar Monitoring program (HQM) at Calar Alto. I. Low amplitude variability in quasars
Borgeest U., Schramm K.-J. 764
- The intrinsic magnetic field orientation in NGC 4631
Golla G., Hummel E. 777
- Photometric evolutionary synthesis models of dwarf galaxies
Krüger H., Fritze-v. Alvensleben U. 793
- Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus
Andreon S. 801
- Galactic structure and dynamics**
- The chemical composition at a galactocentric distance of 13 kpc
Rolleston W.R.J., Dufton P.L., Fitzsimmons A. 72
- A new *UBV* and proper motion survey in the anticentre direction at intermediate galactic latitude: kinematics of the Galaxy's stellar populations
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. 810
- Stellar clusters and associations**
- A study of the color-magnitude diagrams and luminosity functions of the two LMC clusters NGC 2134 and NGC 2249 with the new radiative opacities
Vallenari A., Aparicio A., Fagotto F., Chiosi C. 424
- The galactic distribution of chemical elements as derived from B-stars in open clusters. I. NGC 6231: stellar parameters and chemical abundances
Kilian J., Montenbruck O., Nissen P.E. 437
- Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. 447
- Hot stars near the position of X0512-401 in the globular cluster NGC 1851
Aurière M., Bonnet-Bidaud J.M., Koch-Miramond L. 457
- Formation, structure and evolution of stars**
- New spectroscopic orbital elements of the B-type binary HR 7551
Raja T. 82
- (RN) Estimates of the Compton backscattering feature at ~150 keV in the Crab Nebula pulsar
Bednarek W., Cremonesi O., Treves A. 85
- Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M. 91
- Numerical simulations of convection at the surface of a ZZ Ceti white dwarf
Ludwig H.-G., Jordan S., Steffen M. 105
- On the binary nature of Pleione
Luthardt R., Menchenkova E.V. 118
- On the modulated light in the intermediate polar FO Aquarii/H 2215-086
de Martino D., Buckley D.A.H., Mouchet M., Mukai K. 125
- Evolution of initially mixed massive main sequence stars
Weiss A. 138
- The hot wind in the symbiotic nova AG Pegasi
Vogel M., Nussbaumer H. 145
- S 32 and UKS-Ce1: two barium-rich symbiotic stars
Schmid H.M. 156
- Energy-dependent effects of scattering atmospheres on X-ray pulsar pulse profiles
Sturmer S.J., Dermer C.D. 161
- A long period model for the magnetic star γ Equulei
Leroy J.L., Bagnulo S., Landolfi M., Landi Degl'Innocenti E. 174
- On the pre-decline and decline phases of FG Sagittae, the post-AGB star and central star of the planetary nebula PK 60-71
van Genderen A.M. 465
- Can nucleosynthesis determine the mass limit for stellar black hole formation?
Prantzos N. 477
- Enhancement of thermonuclear reaction rates in dense stars
Sahrling M. 484
- 49 Camelopardalis: an uncommon magnetic star
Leroy J.L., Landstreet J.D., Bagnulo S. 491
- OT 1928: a real candidate for GRB 781119
Hudec R., Pravec P., Borovička J. 499
- Discovery of a luminous galactic supersoft X-ray source in the ROSAT all-sky survey
Motch C., Hasinger G., Pietsch W. 827
- Optical studies in the fields of gamma ray burst sources. II. GRB 910219 and the detection of flashing optical counterpart
Hudec R., Dědoch A., Pravec P., Borovička J. 839
- New photometric and spectroscopic results for IU Aurigae – an early-type eclipsing binary in a multiple system
Drechsel H., Haas S., Lorenz R., Mayer P. 853
- Stellar atmospheres**
- Effects of TiO in stellar atmospheres
Jørgensen U.G. 179
- Simulation of polarization maps. I. Protostellar envelopes
Fischer O., Henning T., Yorke H.W. 187
- The ultraviolet variations of the δ Scuti stars 44 Tauri and 71 Tauri
Monier R., Kreidl T.J. 210
- Synthetic line profiles for supernovae of type II
Best M., Wehrse R. 507
- Long-term periodic variability in UV absorption lines of the Be star γ Cassiopeiae: on the relation with V/R variations in the H β line
Telting J.H., Kaper L. 515

Resonance line polarization for arbitrary magnetic fields in optically thick media. III. A generalization of the ν/ϵ -law
Landi Degl'Innocenti E., Bommier V.

High-dispersion H α spectroscopy of ϵ Aurigae
Cha G., Tan H., Xu J., Li Y.

H α survey of late-type active binaries
Frasca A., Catalano S.

The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations
Monsignori Fossi B.C., Landini M.

Spectral analysis of the hottest known helium-rich white dwarf: KPD 0005+5106
Werner K., Heber U., Fleming T.

Diffuse matter in space (including H II regions and planetary nebulae)

Water masers embedded in ultracompact H II regions: the W 75N cloud core
Hunter T.R., Taylor G.B., Felli M., Tofani G.

Very-broadband-structure and the linear rise in the extinction curve
Jenniskens P.

H II regions and IRAS PSC sources: the reliability of the association
Codella C., Felli M., Natale V.

On the interstellar grains in the Magellanic Clouds and in the Galaxy
Maccioni A., Perinotto M.

Filling factors and ionized masses in planetary nebulae
Boffi F.R., Stanghellini L.

Proper motion measurements and high resolution imaging of the HH 46/47 outflow
Eislöffel J., Mundt R.

Carbon monoxide line emission from photon dominated regions
Köster B., Störzer H., Stutzki J., Sternberg A.

W 3—a study of a site of massive star formation. I. Continuum and C¹⁸O observations and comparison as mass tracers
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G.

An X-ray study of IC 443 and the discovery of a new supernova remnant by ROSAT
Asaoka I., Aschenbach B.

Laboratory simulation of microdiamonds present in space
Colangeli L., Mennella V., Stephens J.R., Bussoletti E.

An investigation of extinction diagnostics towards the Orion Nebula
Greve A., Castles J., McKeith C.D.

Far-infrared observations of three Galactic star-forming regions: RCW 36, IRAS 10361–5830 and IRAS 10365–5803
Verma R.P., Bisht R.S., Ghosh S.K., Iyengar K.V.K., Rengarajan T.N., Tandon S.N.

Mass loss and the evolution of planetary nebula nuclei
Górny S.K., Tylenda R., Szczerba R.

The contribution of small particles to the extinction curve
Boulanger F., Prévot M.L., Gry C.

Discovery of a giant molecular cloud near the Galactic centre
Albinson J.S., Evans A., Krautter J., Weight A.

The Sun

865 Does solar differential rotation arise from a large scale instability?

874 *Tuominen I., Brandenburg A., Moss D., Rieutord M.* 259
A new estimate of the solar core rotation from IPHIR

883 *Toutain T., Kosovichev A.G.* 265

On the correlation of magnetic field strength and inclination with continuum brightness of a sunspot penumbra
Hofmann J., Deubner F.-L., Fleck B., Schmidt W.

900 Alpha effect in the solar atmosphere
Seehafer N. 593

907 Propagation of acoustic waves in a stratified atmosphere. I
Kalkofen W., Rossi P., Bodo G., Massaglia S. 976

Stationary subalfvénic and low- β MHD flows in solar coronal loops and arcades
Surlantzis G., Démoulin P., Heyvaerts J., Sauty C. 985

The solar system

Fine structure of the 1985 Giacobinids
Šimek M. 276

215 Production of anomalous cosmic rays from pick-up ions and their inward diffusion from the termination shock of the solar wind

227 *Fichtner H., Fahr H.-J., Grzedziński S., Rucinski D., Sreenivasan S.R.* 599

233 Is there any mechanism capable of producing the same Fresnel characteristics as fragmentation of meteoroids?
Novikov G.G., Pecina P., Radzhabov T.S. 612

241 **Celestial mechanics and astrometry**

248 The main problem of geosynchronous satellite theory around an equilibrium position
Oberti P. 281

530 Analysis of ground-based observations of the satellites of Saturn 1874–1988
Harper D., Taylor D.B. 619

545 Correction to the luni-solar precession from Very Long Baseline Interferometry
Walter H.G., Ma C. 1000

559 **Physical and chemical processes**

Isothermal elliptical gravitational lens models
Kormann R., Schneider P., Bartelmann M. 285

573 Vacuum polarization and nuclear reactions at energies of astrophysical interest
Degl'Innocenti S., Fiorentini G. 300

583 Oscillator strength measurements in the vacuum-ultraviolet. VI. Neutral oxygen lines in the 950–1200 Å range
Goldbach C., Nollez G. 307

919 The role of electric currents in saturated conduction. I. General theory
Bandiera R., Chen Y. 629

936 The role of electric currents in saturated conduction. II. Suprathermal evaporation of clouds in supernova remnants
Bandiera R., Chen Y. 637

949 Special relativistic jet collimation by inertial confinement
Eulderink F., Mellema G. 654

956 Exact solutions for helical MHD equilibria of astrophysical jets
Villata M., Ferrari A. 663

The equation of state in the chemical picture: a grand-canonical approach. II. The occupation number of molecules and atoms

Luo G.

679

The equation of state in the chemical picture: a grand-canonical approach. III. Thermodynamic properties and non-ideal effects

Luo G.

684

Gravitational lenses as giant diffractive telescopes

Labeyrie A.

689

One-dimensional equilibrium structures of infinitely thin polytropic sheets

Schmitz F.

1007

Empirical corrections of the rigid rotor interaction potential of H_2-H_2 in the attractive region; dimer features in the FIR absorption spectra

Schaefer J.

1015

Numerical studies of wind accretion using SPH. I. 2D simulations

Boffin H.M.J., Anzer U.

1026

Instruments, data processing, and computational methods

Optical seeing at La Palma Observatory. II. Intensive site testing campaign at the Nordic Optical Telescope

Vernin J., Muñoz-Tuñón C.

311

Three-dimensional radiative transfer on a massively parallel computer

Vüth H.M.

319

An updated list of radio flux density calibrators

Ott M., Witzel A., Quirrenbach A., Krichbaum T.P., Standke K.J., Schalinski C.J., Hummel C.A.

331

Speckle interferometry with a photon-counting detector

Thiébaud E.

340

Radial-velocity curves of eccentric orbits in general relativity

Hadrava P., Bao G., Østgaard E.

693

Pyramid maximum entropy images of IRAS survey data

Bontekoe T.R., Koper E., Kester D.J.M.

1037

Abstracts of articles which have been published in A. & A. Suppl. Ser. 104, No. 1

699

Search for faint ring-shaped galaxies in the -77° to -87° declination interval

Faúndez-Abans M., Cuevas H.L., Hertling G.P.

699

uvby β photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^m3$ in Selected Area 194

Franco G.A.P.

699

High-spatial-resolution solar observations of spectral lines used for abundance analysis

Kiselman D.

699

A catalogue of *UBV* colours of cataclysmic variables (second edition)

Bruch A., Engel A.

699

Non-variability of the fine-structure constant over cosmological time scales

Potekhin A.Y., Varshalovich D.A.

700

The development of the symbiotic nova PU Vulpeculae in the years 1984–1992

Klein A., Bruch A., Luthardt R.

700

Intense blazar activity in the photopolarimetric light curve of OJ 287

Takalo L.O., Sillanpää A., Nilsson K., Kidger M., de Diego J.A.

700

Reliable photometric reductions to the standard *UBV* (or *uvby*) system and accurate *UBV* magnitudes of bright standard stars from the northern part of the international Be program

Harmanec P., Horn J., Juza K.

700

Catalogue of 1–3 GHz solar flare radio emission

Islíker H., Benz A.O.

701

Proper motion study of the globular cluster M 3

Tucholke H.-J., Scholz R.-D., Brosche P.

701

A near-infrared survey of northern planetary nebulae

Phillips J.P., Cuesta L.

701

Preview of accepted papers (March 1994)

1054

